


FIG. 1

001490 11000000






FIG. 3





FIG. 4






FIG. 6




FIG. 7






FIG. 8









FIG. 11






FIG. 13





FIG. 14

00520017 004100






FIG. 16






FIG. 17








FIG. 20






FIG. 21













FIG. 24


**FIG. 25**


**FIG. 26**

**FIG. 27**

**FIG. 28**

**FIG. 29**

**FIG. 30**

**FIG. 31**







FIG. 32

**FIG. 33**

**FIG. 34**





212

An arrow points from the label **212** to the top-left corner of the rectangular structure.

FIG. 35



FIG. 36

**FIG. 37****FIG. 38**




























			38/48	
			258	256
	Icon	OPTInet bean	Description	
260		Authorize	Interacts with Authorization Plug-In to manage Authorization, Commit, and Reverse requests to the authorization agent.	
262		BackStageControl	Uses the services of DirectorManager to control the URL property of the browser, to load directors, and to receive events from the browser.	
264		CardRead	Device Control	
266		Customer Profile	Interacts with the CustomerProfile Plug-Ins to capture and retrieve information about a customer.	
268		Depositor	Device Control	
270		Dispenser	Device Control	
272		Keypad	Device Control	
274		Logic bean	Determines the truth value of comparisons between two operands.	
276		OCS bean	Interacts with the OCS Server and the Command/Status Plug-In so that host commands and host command responses can be processed by directors.	
278		Presenter	Device Control	
280		PINEntry	Interacts with the PINEntryEvent Server to manage the PIN Entry mode.	
282		Printer	Device Control	
284		Sync	Synchronizes two forked processing paths and provides a timer for one or two processing paths.	
286	NAME: ACCT: ADDR: AMOUNT: DATE:	TransactionData	Provides a repository of data that can be shared among directors, the browser, and the authorization agent.	

FIG. 39

**FIG. 40****FIG. 41**

**FIG. 42****FIG. 43****FIG. 44****FIG. 45**

**FIG. 46****FIG. 47****FIG. 48****FIG. 49**

**FIG. 50****FIG. 51****FIG. 52****FIG. 53**








FIG. 54


**FIG. 55**

700

**FIG. 56**

**FIG. 57**

**FIG. 58**

**FIG. 59**